


THRYM VV736



ACRYLIC POLYAMIDE GLOVE - LATEX-COATED HAND - FOAM LATEX COATED PALM

Ref. VV736



Product specifications

Inside: 100% acrylic gauge 10. Outside: 100% polyamide gauge 15. Full latex coating of the hand. Second foam latex coating on palm and fingertips.

Support: polyamide/ acrylic.
Coating: Latex.

COLOR
Light Blue

SIZE
09, 10, 11

Product Use - Risks



Cold / Weather



Agriculture / Green areas



Construction / Civil engineering



Heavy industry



Services / Logistics

Product's highlights & user's benefits



3/4 Coating:

- Full protection of the fingers against cold and water
- Long lifespan

1st smooth latex coating : waterproof
2nd foam latex coating : good adhesion



Very good cold and humidity protection

Ideal in cold environments down to -30°C



Scratch acrylic support:

- Cold protection
- Scratching: Excellent comfort, keeps hands warm in cold conditions

Maintenance of warmth during outdoor work
Great comfort of use

The versatility of the protections make these gloves real assets in all climatic circumstances!

Certifications and Standards



REGULATION (EU) 2016/425

EN420:2003+A1:2009 General requirements

5: Dexterity (from 1 to 5)

EN388:2016



2: Resistance to abrasion (from 1 to 4)

2: Resistance to cutting (from 1 to 5)

3: Resistance to tear (from 1 to 4)

1: Resistance to puncture (1 to 4)

X: Resistance to cutting by sharp objects (TDM EN ISO 13997) (from A to F)



EN511:2006 Protective gloves against cold (X = Unrealized test)

1: Resistance to convective cold (from 1 to 4)

2: Resistance to contact cold (from 1 to 4)

1: Waterproof (0 or 1)



EN407:2004 Protective gloves against Heat & Fire risks (X = Unrealized test)

X: Resistance to flammability (from 1 to 4)

2: Resistance to contact heat (from 1 to 4)

X: Resistance to convective heat (from 1 to 4)

X: Resistance to radiant heat (from 1 to 4)

X: Resistance to small projections of liquid metal (from 1 to 4)

X: Resistance to large projections of molten metal (from 1 to 4)

References

References	Bar code	COLOR	SIZE		
VV736BL09	3295249201265	Light Blue	09	60	12
VV736BL10	3295249201272	Light Blue	10	60	12
VV736BL11	3295249201289	Light Blue	11	60	12