



EDGE™

SAFETY ROBSON

ROBSON

The Edge Robson is for those who need an impact-rated glass, but won't compromise on quality or features. It's as stylish as it is protective, and comes with smart frame details that render it comfortable enough for every weekday, and each weekend.

FEATURES


- Frame constructed of flexible, durable nylon composite
- Wraparound frame for improved peripheral vision and protection
- Thermoplastic rubber (TPR) adjustable nosepiece and temple details
- Lenses block 99.9% of UVA/UVB/UVC rays

SAFETY COMPLIANCE

- ANSI
- CSA

DIMENSIONS

- | | |
|-------------------|--------|
| 1. Tip to Tip | 65 mm |
| 2. Temple Length | 119 mm |
| 3. Overall Width | 140 mm |
| 4. Overall Height | 35 mm |
| 5. Nose Width | 10 mm |



SKUS

FEATURED



XR411
BLACK
CLEAR
85% LIGHT TRANSMISSION



XR411VS
BLACK
VAPOR SHIELD CLEAR
85% LIGHT TRANSMISSION



XR412
BLACK
YELLOW
80% LIGHT TRANSMISSION



XR416
BLACK
SMOKE
16% LIGHT TRANSMISSION



XR416VS
BLACK
VAPOR SHIELD SMOKE
16% LIGHT TRANSMISSION



XRAP419
BLACK
AQUA PRECISION RED MIRROR
13% LIGHT TRANSMISSION



XR411VSG
BLACK
VAPOR SHIELD CLEAR
WITH GASKET
85% LIGHT TRANSMISSION



XR416VSG
BLACK
VAPOR SHIELD SMOKE
WITH GASKET
16% LIGHT TRANSMISSION



TXR416
BLACK
POLARIZED SMOKE
14% LIGHT TRANSMISSION



TXR416VS
BLACK
POLARIZED VAPOR SHIELD SMOKE
14% LIGHT TRANSMISSION



TXR415
BLACK
POLARIZED COPPER
8% LIGHT TRANSMISSION



TXRAP418
BLACK
POLARIZED AQUA PRECISION BLUE MIRROR
10% LIGHT TRANSMISSION



TXR41-G15-7
BLACK
POLARIZED G-15 SILVER MIRROR
11% LIGHT TRANSMISSION





EDGE™

SÉCURITÉ ROBSON

ROBSON

L'Edge Robson est destiné à ceux qui ont besoin d'un verre résistant aux chocs, mais qui ne feront aucun compromis sur la qualité ou les fonctionnalités. Il est aussi élégant que protecteur et est livré avec des détails de cadre intelligents qui le rendent suffisamment confortable pour chaque jour de la semaine et chaque week-end.

CARACTÉRISTIQUES


- Cadre construit en composite de nylon flexible et durable
- Monture enveloppante pour une meilleure vision périphérique et protection
- Embout réglable en caoutchouc thermoplastique (TPR) et détails du temple
- Les verres bloquent 99,9 % des rayons UVA/UVB/UVC

CONFORMITÉ À LA SÉCURITÉ

- ANSI
- CSA

DIMENSIONS

1. Pourboire à Pourboire	65mm
2. Longueur du Temple	119mm
3. Largeur Hors Tout	140mm
4. hauteur totale	35mm
5. Largeur de nez	10mm



SKUS

PRÉSENTÉS



XR411
NOIR
CLAIR
85% TRANSMISSION LUMINEUSE



XR411VS
NOIR
PARE-VAPEUR CLAIR
85% TRANSMISSION LUMINEUSE



XR412
NOIR
JAUNE
80% TRANSMISSION LUMINEUSE



XR416
NOIR
FUMÉE
16% TRANSMISSION LUMINEUSE



XR416VS
NOIR
PARE-VAPEUR FUMÉE
16% TRANSMISSION LUMINEUSE



XR419
NOIR
MIRROIR ROUGE AQUA PRECISION
13% TRANSMISSION LUMINEUSE



XR411VSG
NOIR
PARE-VAPEUR CLAIR
AVEC JOINT
85% TRANSMISSION LUMINEUSE



XR416VSG
NOIR
PARE-VAPEUR FUMÉE
AVEC JOINT
16% TRANSMISSION LUMINEUSE



TXR416
NOIR
FUMÉE POLARISÉE
14% TRANSMISSION LUMINEUSE



TXR416VS
NOIR
PARE-VAPEUR POLARISÉ FUMÉE
14% TRANSMISSION LUMINEUSE



TXR415
NOIR
CUIVRE POLARISÉ
8% TRANSMISSION LUMINEUSE



TXRAP418
NOIR
MIRROIR FOU DE PRÉCISION AQUA POLARISÉ
10% TRANSMISSION LUMINEUSE



TXR41-G15-7
NOIR
MIRROIR ARGENT POLARISÉ G-15
11% TRANSMISSION LUMINEUSE

