



CC1T FR Gear

Specification Sheet

PRODUCT DESCRIPTION:

Whether working in the rugged oil and gas industry or spending your day working near electrical hazards, stay safe and comfortable in MCR Safety's FR Gear made with Max Comfort™ fabrics. The CC1 Coverall features a comfortable 100% cotton material that meets the NFPA 2112-2018 Standard for Flame Resistant Garments and NFPA 70E Standard for Electrical Safety in the Workplace. All MCR Safety's FR Garments are UL Certified and have a lifetime FR guarantee. **Available in Regular and Tall Sizing, Tan, Navy, Royal Blue, Red & Gray.**



FEATURES:

- Available in Regular and Tall Sizing, Tan, Navy, Royal Blue, Red & Gray.
- NFPA 2112 UL Certified
- ASTM F1506 Electric Arc Protection
- NFPA 70E Hazard/Risk Cat HRC2/9.3 cal/cm²
- Max Comfort™ 7 oz. 100% cotton FR twill fabric
- Two needle reinforced stitching on major seams for durability
- Heavy needle reinforced stitching on major seams for durability
- Protective storm flap with snap closure to cover front zipper
- Two chest pockets, left pocket with pen tunnel
- Two front hip pockets on coverall pants
- Side pass through with snap closure
- Two back patch pockets
- Bi-swing action back gussets for ease of movement and comfort
- Tool pocket on right leg
- Adjustable snap closure on cuff of sleeves and legs
- All snaps have reinforcement strips



CC1T FR Gear

Specification Sheet

APPLICATIONS:

Oil and Gas Industry, Utilities, Electronic Assembly, Fracking,
Mining

TECHNICAL DATA FOR: CC1T

Category	FR Gear	NFPA 2112-2018 Certified	Yes
Color	Tan	NFPA 70E-2018 Certified	Yes
Material	Flame Resistant, 100% Cotton	ASTM 1930 Cert.	Yes
Material Weight	7.0 oz.	ASTM F1506 Cert.	Yes
Components	1 pc Coverall	Hazard Risk Category	CAT2
Flame Resistant	Yes		
Front Closure	YKK 2-Way Zipper & Triple Snap		

Item No:	Chest	Sizing	Back Length	Sweep	Inseam	Color	Case Weight
CC1T34	34	Regular	N/A	N/A	30	Tan	18.660
CC1T36T	36	Tall	N/A	N/A	32	Tan	19.890
CC1T36	36	Regular	N/A	N/A	30	Tan	19.370
CC1T38	38	Regular	N/A	N/A	30	Tan	19.790
CC1T38T	38	Tall	N/A	N/A	32	Tan	20.250
CC1T40	40	Regular	N/A	N/A	30	Tan	20.250
CC1T42	42	Regular	N/A	N/A	30	Tan	23.610
CC1T42T	42	Tall	N/A	N/A	32	Tan	21.180
CC1T44	44	Regular	N/A	N/A	30	Tan	21.300
CC1T46T	46	Tall	N/A	N/A	32	Tan	22.520
CC1T46	46	Regular	N/A	N/A	30	Tan	21.740
CC1T50T	50	Tall	N/A	N/A	32	Tan	23.620
CC1T52	52	Regular	N/A	N/A	30	Tan	23.610
CC1T52T	52	Tall	N/A	N/A	32	Tan	25.500
CC1T54T	54	Tall	N/A	N/A	32	Tan	25.500
CC1T54	54	Regular	N/A	N/A	30	Tan	25.000
CC1T56T	56	Tall	N/A	N/A	32	Tan	25.080
CC1T56	56	Regular	N/A	N/A	30	Tan	25.700
CC1T58T	58	Tall	N/A	N/A	32	Tan	26.080
CC1T58	58	Regular	N/A	N/A	30	Tan	26.000
CC1T60T	60	Tall	N/A	N/A	32	Tan	27.000
CC1T60	60	Regular	N/A	N/A	30	Tan	25.000
CC1T62T	62	Tall	N/A	N/A	32	Tan	25.700

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA

Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: www.mcrcsafety.com

©2020 MCR Safety - All Rights Reserved



MCR
SAFETY

CCIT
FR Gear

Specification Sheet

Item No:	Chest	Sizing	Back Length	Sweep	Inseam	Color	Case Weight
CC1T64T	64	Tall	N/A	N/A	32	Tan	25.700
CC1T66T	66	Tall	N/A	N/A	32	Tan	25.700

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA

Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: www.mcrcsafety.com

©2020 MCR Safety - All Rights Reserved