



SBC2011

FR Gear

Specification Sheet

PRODUCT DESCRIPTION:

MCR Safety FR Clothing powered by Summit Breeze® Technology is the wave of the future when it pertains to protecting the workforce against flash fire and arc flash hazards. This product provides superior protection by incorporating our patented triple vent technology into our coveralls and shirts which protects the user on multiple levels. Data from the American Burn Institute proves inhalation injury increases the mortality rate from flash fire significantly. The Summit Breeze vented design keeps the wearer cooler, decreasing the chances of heat stress while also redirecting a majority of the off gas away from the breathing zone during a flash fire or arc flash event.



FEATURES:

- 7-ounce Cotton Material
- Patented Triple Vent Technology
- 2-way FR zipper front
- Lay down collar with hook and loop tab for stand-up option
- 2 Chest flap pockets with zippered closure
- Mesh Gas Monitor pocket on right chest
- Dual left and right front hip pockets, each with pass through pocket
- Two roomy back hip pockets
- Tool pocket on right leg
- Pencil pocket on left sleeve
- Triple needle stitched with Nomex® in high wear areas for durability
- Elastic waist back for movement and fit
- Adjustable two snap closure on each sleeve cuff
- Adjustable snap ankle closure
- 1 Inch FR silver reflective stripes on arms and legs
- ASTM F1506 Electric Arc Protection, ATPV 8.7 cal/cm², CAT2
- NFPA 2112 UL Certified, NFPA 70E
- ASTM 1930 Tested, Certified
- Sizes available: 38-62 Regular and Tall
- Available in Gray, Navy, Tan, Red, and Royal Blue

APPLICATIONS:

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA
Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: www.mcrcsafety.com

©2020 MCR Safety - All Rights Reserved



SBC2011

FR Gear

Specification Sheet

Oil and Gas Industry, Utilities, Cable , Carpentry, Construction

TECHNICAL DATA FOR: SBC2011

Series	Summit Breeze	NFPA 2112-2018 Certified	Yes
Category	FR Gear	NFPA 70E-2018 Certified	Yes
Color	Gray	ASTM 1930 Cert.	Yes
Chest	36-38	ASTM F1506 Cert.	Yes
Material	Flame Resistant, 100% Cotton	Hazard Risk Category	CAT2
Material Weight	7.0 oz.		
Components	1 pc Coverall		
Flame Resistant	Yes		
Front Closure	Zipper & Button		

Item No:	Chest	Sizing	Back Length	Sweep	Inseam	Color	Case Weight
SBC201148	N/A	Regular	N/A	N/A	N/A	Gray	36.636
SBC201158	N/A	Regular	N/A	N/A	N/A	Gray	36.636
SBC201146T	N/A	Tall	N/A	N/A	N/A	Gray	36.636
SBC201156T	N/A	N/A	N/A	N/A	N/A	N/A	36.636
SBC201146	N/A	Regular	N/A	N/A	N/A	Gray	36.636
SBC201156	N/A	Regular	N/A	N/A	N/A	Gray	34.740
SBC201164T	N/A	Tall	N/A	N/A	N/A	Gray	36.636
SBC201162	N/A	N/A	N/A	N/A	N/A	N/A	36.636
SBC201144T	N/A	Tall	N/A	N/A	N/A	Gray	29.880
SBC201154T	N/A	N/A	N/A	N/A	N/A	N/A	36.636
SBC201144	N/A	Regular	N/A	N/A	N/A	Gray	36.636
SBC201160T	N/A	N/A	N/A	N/A	N/A	N/A	36.636
SBC201154	N/A	Regular	N/A	N/A	N/A	Gray	32.880
SBC201142T	N/A	Tall	N/A	N/A	N/A	Gray	33.615
SBC201152T	N/A	N/A	N/A	N/A	N/A	N/A	36.636
SBC201142	N/A	Regular	N/A	N/A	N/A	Gray	36.636
SBC201160	N/A	N/A	N/A	N/A	N/A	N/A	36.636
SBC201140T	N/A	Tall	N/A	N/A	N/A	Gray	32.655
SBC201152	N/A	N/A	N/A	N/A	N/A	N/A	36.636
SBC201158T	N/A	N/A	N/A	N/A	N/A	N/A	36.636
SBC201140	N/A	Regular	N/A	N/A	N/A	Gray	29.985
SBC201150T	N/A	Tall	N/A	N/A	N/A	Gray	36.636
SBC201138T	N/A	Tall	N/A	N/A	N/A	Gray	31.395
SBC201150	N/A	N/A	N/A	N/A	N/A	N/A	36.636
SBC201164	N/A	N/A	N/A	N/A	N/A	N/A	36.636

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA

Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: www.mcrcsafety.com

©2020 MCR Safety - All Rights Reserved



MCR
SAFETY

SBC2011

FR Gear

Specification Sheet

Item No:	Chest	Sizing	Back Length	Sweep	Inseam	Color	Case Weight
SBC201138	N/A	Regular	N/A	N/A	N/A	Gray	27.975
SBC201148T	N/A	Tall	N/A	N/A	N/A	Gray	36.636
SBC201162T	N/A	N/A	N/A	N/A	N/A	N/A	36.636

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA

Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: www.mcrcsafety.com

©2020 MCR Safety - All Rights Reserved