



**MCR
SAFETY**

TK1 Safety Glasses Value Series Specification Sheet

PRODUCT DESCRIPTION:

The TK1 series is an affordable alternative for providing comfort, protection and style. The TK1 features fully adjustable, five position, ratchet action temples. Other features include a stylish wrap-around design and one-piece polycarbonate lens with integral sideshields. The lightweight frame provides added comfort and balance. Filters out 99.9 percent of UV radiation.



FEATURES:

- High brow guard for extra protection and unimpeded view
- Single lens design with integral side shields for greater orbital seal
- Spatula temple with extendable adjustment
- Rugged polycarbonate lens filters 99.9% of harmful U.V. rays

TECHNICAL DATA FOR: TK130

Series	TK1	ANSI Z87+	Yes
Category	Safety Glasses		
Scratch Resistant	Yes		
Frame Material	Nylon		
Packaging	White Inner Box		
Case Pack	144 pair	Case Weight	16.524 lb.
Case Dimensions	22.441 x 14.173 x 12.992	Made In	Taiwan

Item No:	Lens Options:	Lens Coating:	Scratch Resistant:	VLT%:	Frame Color:	Temple Color:	Temple Sleeve:
TK110	Clear	Duramass Hard Coat	Yes	90	Black	Black	N/A
TK110AF	Clear	Duramass Anti-Fog	Yes	90	Black	Black	N/A
TK112	Gray	Duramass Hard Coat	Yes	13	Black	Black	N/A

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA

Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: www.mcrcsafety.com

©2019 MCR Safety - All Rights Reserved



MCR
SAFETY

TK1
Safety Glasses
Value Series
Specification Sheet

Item No:	Lens Options:	Lens Coating:	Scratch Resistant:	VLT%:	Frame Color:	Temple Color:	Temple Sleeve:
TK119	I/O Clear Mirror	Duramass Hard Coat	Yes	36	Black	Black	N/A
TK120	Clear	Duramass Hard Coat	Yes	90	Blue	Blue	N/A
TK130	Clear	Duramass Hard Coat	Yes	90	Blue	Red / White	N/A
TK130AF	Clear	Duramass Anti-Fog	Yes	90	Blue	Red / White	N/A

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA

Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: www.mcrcsafety.com

©2019 MCR Safety - All Rights Reserved